



Χάντρωμα Φύλλου για Κλειδαριά IN LINE της GU  
Machining of Sash for IN LINE GU Lock





### Μηχανισμός IN LINE GU IN LINE GU Locking Mechanism



#### IN LINE GU 90°

|   |                    |
|---|--------------------|
| <b>AU-SL-00990-09</b><br>(G-13954-13-0-1) | L300,2 Κλειδώματα  |
| <b>AU-SL-00980-09</b><br>(G-13954-06-0-1) | L600,2 Κλειδώματα  |
| <b>AU-SL-00981-09</b><br>(G-13954-10-0-1) | L1000,2 Κλειδώματα |
| <b>AU-SL-00982-09</b><br>(G-13954-26-0-1) | L1600,4 Κλειδώματα |



#### IN LINE GU 180°

|   |                    |
|---|--------------------|
| <b>AU-SL-00980-09</b><br>(G-25716-13-0-1) | L300,2 Κλειδώματα  |
| <b>AU-SL-00981-09</b><br>(G-25716-06-0-1) | L600,2 Κλειδώματα  |
| <b>AU-SL-00982-09</b><br>(G-25716-20-0-1) | L1000,3 Κλειδώματα |
| <b>AU-SL-00982-09</b><br>(G-25716-26-0-1) | L1600,4 Κλειδώματα |

